



NozzTeq®

Taking Science to the Sewer®

866-620-5915

RENTALS AVAILABLE



C-RAY™ SEWER NOZZLE

MOST EFFECTIVE BOTTOM CLEANER

- C-Ray Storm or Sewer nozzles are made of all Stainless Steel Construction with no nuts and bolts that hold it together.
- C-Ray series of sewer cleaning nozzles has tube technology that creates 97% efficiency that direct water to each jet and not to an empty chamber.
- This bottom cleaning sewer nozzle directs its path to the sides and bottom of the pipe to move debris faster and farther without the need for step cleaning (in most cases).
- High quality single bearing swivel is included with no greasing or maintenance required.
- The low gravity of the bottom sewer cleaning nozzle allows the C-Ray nozzle to ride upright and is designed to flip back over.

WHY Nozzteq? Because our Equipment is Engineered for Long Lasting Performance!

866-620-5915

Nozzteq Inc. ADDRESS: 1949 Calumet Street - Clearwater, FL 33765

Phone: 1-866-620-5915 Fax: 1-603-413-6744

EMAIL: info@nozzteq.com HOME PAGE: www.nozzteq.com



PART NO. CRN01



C-Ray™ 200 Sewer Nozzle

C-Ray™ CRN01 (C-Ray 200) Specifications

C-Ray™ 200 incl. 6 jets in the rear and 1 jet in the front if needed and one quality stainless swivel. Connection Female 3/4"-1 1/2" BSP or NPT

Hose Size	3/4" up to 1 1/2"
Water Flow	40 - 265 US GPM
Pipe Dimension	8" - 36"
Number of Jets	6 + 1 (Front Jet Optional)
Jet Size	1.9 up to 6.0 mm
Weight Incl. Swivel	13 kg (30 Lbs.)
Length excl. Swivel	13"
Length Incl. Swivel	18"

Note: Weights and dimensions are approximate and subject to change without notice.

C-Ray™ CRN01 (C-Ray 400) Specifications

C-Ray™ 400 incl. 8 jets in the rear and 1 jet in the front if needed and one quality stainless swivel. Connection Female 3/4"-1 1/2" BSP or NPT

Hose Size	3/4" up to 1 1/2"
Water Flow	50-400 US GPM
Pipe Dimension	15" and up
Number of Jets	8 + 1 (Front Jet Optional)
Jet Size	1.9 up to 6.0 mm
Weight Incl. Swivel	18 / 23 kg (40 / 50 Lbs.)
Length excl. Swivel	18"
Length Incl. Swivel	23"

Note: Weights and dimensions are approximate and subject to change without notice.



C-Ray™ 400 Sewer Nozzle

**PART NO. CRN01-800****C-Ray™ 800 Sewer Nozzle****C-Ray™ CRN01 (C-Ray 800) Specifications**

C-Ray™ 800 incl. 8 jets in the rear and 2 quality stainless steel swivels. Connection Female 3/4" - 1 1/2" BSP or NPT

Hose Size	1 hose and 1 truck per end of C-Ray sewer nozzle [3/4" up to 1 1/2"]
Water Flow	50-400 US GPM
Pipe Dimension	15" and up
Number of Jets	8
Jet Size	1.9 up to 6.0 mm
Weight Incl. Swivel	22 kg (50 Lbs)
Length excl. Swivel	17"
Length Incl. Swivel	27"
Additional	Two Swivels Are Used

The dual C-Ray 800 is the only bottom cleaner of its kind. This sewer nozzle concentrates its cleaning on the bottom of the pipe up to 96". This sewer cleaning technology allows the operator to have a truck at two different manholes up-stream and down-stream. This allows the nozzle to thrust twice the amount of water.